



Creating lasting first impressions...

aludors



Why choose the aludors brand?

Our meticulously crafted aluminium entrance doors are a testament to precision engineering, blending contemporary aesthetics with robust construction. By opting for aludors, you embrace cutting-edge innovation, attention to detail, personalised customisation, and unwavering quality assurance, ensuring that your entrance exudes both elegance and strength. We are the embodiment of reliability, supported by a comprehensive warranty, a national presence, and a history of successful projects. Join the aludors community and experience the pinnacle of architectural excellence, where every entrance becomes a statement of prestige and security.

Create your very own lasting first impression!

*Made With Care
Made To Last*

Increase your home's beauty, curb appeal, security, and value and make it an entrance to remember.

www.aludors.com.au

2

Following 8 years of extensive research and utilising 20+ years of aluminium industry knowledge and experience, aludors is a family business specialising in the fabrication and supply of high quality, highly insulated premium aluminium entrance doors.

Combining both style and performance and manufactured to reflect the ever-ambitious designs of a modern world. aludors premium aluminium entry doors, designed with the finest workmanship & engineering, is the new benchmark to energy efficiency for your home.

Aluminium provides exceptional weather resistance and superior thermal and acoustic insulation. Its reliability makes it a premium entrance door material enabling precise workmanship.

Using precision European technology our raw materials have been rigorously tested and are manufactured locally here in Australia. Developed with a specific aim of providing the best highly performing energy efficient thermal entrance doors on the market with security and weather performance being critical elements in the overall product design.

Not only are they aesthetically pleasing, aluminium doors provide a more robust, more durable, more secure and much safer alternative to the current doors in the market and will play a key role in the current & future National Construction Code 7 Star requirements across each Australian state.

The flush interior and exterior panels, overall specification of handles, locking system and colours have been carefully selected to maximise savings and provide exceptional value for money.





Brighton



Testament to our impeccable design and attention to detail, the Brighton premium aluminium entrance door is a real head turner which will create a seamless transition between the look of the current and the performance of the future.

- Low profile, weather sealed, thermally broken access threshold and framework (Wheelchair access compliant)
- High performance insulated thermal and acoustic compressed foam core
- Fully flush profile both internally and externally
- Stainless steel pull handle (900mm & 1200mm)
- 3-point locking system
- 3mm thick aluminium panel sheets
- Euro profile lock cylinder





Sorrento



Simplicity, style, eternal and timeless, this impressive modern entrance door provides energy efficiency and high security. Pair it with a matching-coloured stainless steel pull handle as a real showstopper.

- Low profile, weather sealed, thermally broken access threshold and framework (Wheelchair access compliant)
- High performance insulated thermal and acoustic compressed foam core
- Fully flush profile both internally and externally
- Stainless steel pull handle (900mm & 1200mm)
- 3-point locking system
- 3mm thick aluminium panel sheets
- Euro profile lock cylinder







Malvern

The Malvern exudes contemporary sophistication with its sleek appearance and the addition of a circular stainless steel handle, epitomizing modern elegance.

- Low profile, weather sealed, thermally broken access threshold and framework (Wheelchair access compliant)
- High performance insulated thermal and acoustic compressed foam core
- Fully flush profile both internally and externally
- Stainless steel pull handle (900mm & 1200mm)
- 3-point locking system
- 3mm thick aluminium panel sheets
- Euro profile lock cylinder





Windsor



Less is certainly more. Impress your guests with a stunning sun filled entrance. A classic look that's a great focal point.

- Low profile, weather sealed, thermally broken access threshold and framework (Wheelchair access compliant)
- High performance insulated thermal and acoustic compressed foam core
- Fully flush profile both internally and externally
- Stainless steel pull handle (900mm & 1200mm)
- 3-point locking system
- 3mm thick aluminium panel sheets
- Triple safety glass, warm edge spacers and low energy insulated glazing
- Euro profile lock cylinder



Handles

Cylinders



Flat Lever Handle



Round Pull Handle
15 x 300 mm



Square Profile Straight Pull Handle (30 x 30)
Available Size 1200mm



Flat Profile Straight Pull Handle (20 x 50)
Available Sizes 900mm or 1200mm



Round Profile Straight Pull Handle
Available Sizes 900mm x 1200mm



Round Profile Offset Pull Handle
Available Size 1200mm



Euro Cylinders

Hinges 3 Point Lock



Why aluminium?



Lifetime



Insulation



Design



Sustainability



Colours



Versatility



Safety



Investment

Long lifetime

Choosing aluminium is a choice for life. Aluminium profiles will remain beautiful for years and years. They are not affected by UV-rays or moisture, and when maintained properly they do not warp, corrode, or rot.

Thermal & acoustic insulation

Aluminium solutions offer excellent thermal insulation. An aluminium window insulates well against both the cold and the heat. Combined with acoustical glass, aluminium guarantees optimal soundproof solutions.

Design that fits

Enjoy creative freedom with all kinds of shapes and styles. Choose from a wide range of design options, from sleek contemporary to rustic historical. Moreover, aluminium profiles come in almost every dimension. There is always a system that meets your needs.

Sustainability is key

Aluminium is 100% recyclable. The recycling process takes a minimum amount of energy, without loss of quality of the material. And think of the sustainable benefit as well: low U-values of our aluminium products contribute to your energy savings and helps to reduce the environmental impact of your project.

Numerous colours

Select your favourite colour and coating option. Aluminium profiles can be anodised or painted in more than 400 RAL colours and different finish types. A functional, renaissance, or minimalistic building? There is an aluminium solution for every type of home.

Versatility

Versatility is aluminium's second nature. Expansion and contraction by changes in temperature are kept to a minimum, making aluminium the preferred choice for bi-fold and patio doors, as well as any large-size windows. It is an ultra-light yet robust material that can realise complex structures effortlessly.

Safe and optimal fire protection

Aluminium is very strong, non-flammable, and integrates smoothly with technologies and systems that further enhance safety and protection. Most of our systems are burglar-resistant, and some variants even offer fire or smoke-proof solutions.

Easy maintenance

Aluminium windows and doors are very low-maintenance, requiring only a wash with soapy water a couple of times a year. Select from hundreds of hard-wearing, durable colour finishes and rest assured that the aluminium will never need repainting.

Professional placement

The computer-controlled cutting of the profiles and the precise assembly of the finished product enables a smooth and flawless installation of all our aluminium solutions

An investment that pays off

Aluminium improves the overall performance and value of your building. It is an investment that pays off, if you take into account all the benefits. **aludors** guarantees that its systems meet the highest technical specifications with a ten-year system guarantee and a five-year guarantee on hardware accessories.

AD 77 Door



aludors premium aluminium entrance doors are high insulating products that meet demanding requirements for thermal insulation, stability and security that are on par with the strictest Australian and American standards. The functional variant featured matches a variety of different building types with a range of solutions for inward and outward opening doors.

AD 77 DOOR	
Thermal insulation	Uf = Down to 1.2 W/m ² K, depending on the frame/vent combination and glazing thickness
Air tightness	Up to 600 Pa (Class 4)
Water tightness	Up to 300 Pa (Class 7A)
Wind load resistance	Up to 800 Pa (Class 2)
Acoustic performance	RW (C;Ctr) = 42 (-1;-4) dB, depending on the glazing type
Burglar resistance	Up to RC 2/RC 3 (WK 2/WK 3)
Fire resistance	EI1 30/EI1 60/EI2 30/EI2 60/EW 30

alud**o**ors

 48 Legacy Road, Epping VIC 3076

 1300 090 969

 [sales@alud**o**ors.com.au](mailto:sales@aludoors.com.au)

 [alud**o**ors.com.au](http://aludoors.com.au)

Scan me for more information

